



INSTRUCTIONS

Kit Number:

90500312 REV A

Kit Description:

The Lever Cover Installation Kit contains all components and instructions to install a set of Lever Covers to the vehicle. A specific Lever Cover Set selection is required.

Installation Instructions:

1. Layout lever cover (2) on grips to determine where the lacing will line up on lever.


Recommendation: Have the lacing of the lever cover be about where your fingers will rest on the grip when you are riding. This is most comfortable for rider

2. The lacing has a leather side and a suede side. Always lace the cover so that the leather side is facing out and on the outside of the cover.
3. The lacing process should start at the inside (toward master cylinders) and work its way out toward the end of the handlebars.
4. Start lacing the cover leaving approximately 1.0” to 1.5” of lace at the end. This is called the tail end for reference.
5. Tuck the tail end under the cover as you are lacing the cover onto the lever. This will tighten down and keep the lace from pulling out.
6. While lacing the cover, keep pulling the cover tighter to remove gaps and slack in cover.
7. Be sure to keep the cover aligned while lacing.
8. While lacing the last two holes, do not pull tight.

Note: Keep pulling and removing gaps and slack in cover while aligning the lacing.

9. Slip the remaining lacing through the last two lacings. The lacing should end up in line with the rest of the lacing on the levercover.
10. Cut any excess lace that hangs past the lever cover lace.
11. Repeat for other side

Exploded View of Assembly:



Kit Bill of Material:

ITEM	PART NUMBER	PART DESCRIPTION	QTY
1	90800092	Lever Cover Installation Instructions (not shown)	1
2	Select Below	Fringed Lever Cover, Set	1

Additional Kit Requirements:

PART NUMBER	PART DESCRIPTION	QTY
53100076	Lever Cover Pair, Premium Black	1
53100075	Lever Cover Pair, Premium Brown	1
53100077	Lever Cover Pair, OE Black	1
53100079	Lever Cover Pair, OE Tan	1
53100110	Lever Cover Pair, Distressed Tan	1

Kit Retro-fit-ability to Existing Models:

Y: Directly Retro-fit-able

M: Retro-fit-able with some modification, see your local service provider for details
N: Not Retro-fit-able

MODEL YEAR	MODEL FAMILY					
	CHIEF	SCOUT	N/A	N/A	N/A	N/A
1998	N	N				
1999	N	N				
2000	N	N				
2001	N	N				
2002	N	N				
2003	M	N				
2004	M	N				
2009 +	Y	N				

Disclaimer:

To help maintain the value of your motorcycle and to keep from voiding your factory warranty, please remember that skilled technicians using equipment and methods recommended by IMC are best qualified to perform all major repairs and service including installation of Parts and Accessories. Your authorized Indian Motorcycle Dealer knows your motorcycle best and should be consulted for service and assistance.